

ACS Housing Summary

Slaughterville Town, OK
Slaughterville Town, OK (4067950)
Geography: Place

Prepared by the Greater OKC Chamber

	2010-2014 ACS Estimate	Percent	MOE(±)	Reliability
TOTALS				
Total Population	4,223		27	High
Total Households	1,431		110	High
Total Housing Units	1,614		128	High
OWNER-OCCUPIED HOUSING UNITS BY MORTGAGE STATUS				
Total	1,100	100.0%	151	High
Housing units with a mortgage/contract to purchase/similar debt	607	55.2%	118	High
Second mortgage only	17	1.5%	19	Low
Home equity loan only	23	2.1%	27	Low
Both second mortgage and home equity loan	0	0.0%	9	
No second mortgage and no home equity loan	567	51.5%	111	High
Housing units without a mortgage	493	44.8%	98	Medium
AVERAGE VALUE BY MORTGAGE STATUS				
Housing units with a mortgage	\$139,805		\$45,932	Medium
Housing units without a mortgage	\$104,692		\$34,560	Medium
RENTER-OCCUPIED HOUSING UNITS BY CONTRACT RENT				
Total	331	100.0%	94	Medium
With cash rent	271	81.9%	88	Medium
Less than \$100	0	0.0%	9	
\$100 to \$149	0	0.0%	9	
\$150 to \$199	0	0.0%	9	
\$200 to \$249	0	0.0%	9	
\$250 to \$299	0	0.0%	9	
\$300 to \$349	13	3.9%	19	Low
\$350 to \$399	45	13.6%	48	Low
\$400 to \$449	17	5.1%	28	Low
\$450 to \$499	8	2.4%	12	Low
\$500 to \$549	6	1.8%	10	Low
\$550 to \$599	26	7.9%	28	Low
\$600 to \$649	0	0.0%	9	
\$650 to \$699	49	14.8%	54	Low
\$700 to \$749	7	2.1%	12	Low
\$750 to \$799	26	7.9%	21	Low
\$800 to \$899	74	22.4%	60	Low
\$900 to \$999	0	0.0%	9	
\$1,000 to \$1,249	0	0.0%	9	
\$1,250 to \$1,499	0	0.0%	9	
\$1,500 to \$1,999	0	0.0%	9	
\$2,000 or more	0	0.0%	9	
No cash rent	60	18.1%	47	Low
Median Contract Rent	\$671		\$117	High
Average Contract Rent	\$628		\$302	Medium
RENTER-OCCUPIED HOUSING UNITS BY INCLUSION OF UTILITIES IN RENT				
Total	331	100.0%	94	Medium
Pay extra for one or more utilities	309	93.4%	90	Medium
No extra payment for any utilities	22	6.6%	27	Low

ACS Housing Summary

Slaughterville Town, OK
Slaughterville Town, OK (4067950)
Geography: Place

Prepared by the Greater OKC Chamber

	2010-2014 ACS Estimate	Percent	MOE(±)	Reliability
HOUSING UNITS BY UNITS IN STRUCTURE				
Total	1,614	100.0%	128	High
1, detached	962	59.6%	125	High
1, attached	0	0.0%	9	Low
2	0	0.0%	9	Low
3 or 4	0	0.0%	9	Low
5 to 9	0	0.0%	9	Low
10 to 19	0	0.0%	9	Low
20 to 49	0	0.0%	9	Low
50 or more	0	0.0%	9	Low
Mobile home	652	40.4%	114	High
Boat, RV, van, etc.	0	0.0%	9	Low
HOUSING UNITS BY YEAR STRUCTURE BUILT				
Total	1,614	100.0%	128	High
Built 2010 or later	17	1.1%	18	Low
Built 2000 to 2009	378	23.4%	102	Medium
Built 1990 to 1999	167	10.3%	70	Medium
Built 1980 to 1989	492	30.5%	83	High
Built 1970 to 1979	345	21.4%	105	Medium
Built 1960 to 1969	101	6.3%	66	Medium
Built 1950 to 1959	27	1.7%	27	Low
Built 1940 to 1949	39	2.4%	29	Low
Built 1939 or earlier	48	3.0%	35	Low
Median Year Structure Built	1985		2	High
OCCUPIED HOUSING UNITS BY YEAR HOUSEHOLDER MOVED INTO UNIT				
Total	1,431	100.0%	110	High
Owner occupied				
Moved in 2010 or later	115	8.0%	59	Medium
Moved in 2000 to 2009	524	36.6%	111	Medium
Moved in 1990 to 1999	293	20.5%	71	Medium
Moved in 1980 to 1989	85	5.9%	51	Medium
Moved in 1970 to 1979	58	4.1%	38	Medium
Moved in 1969 or earlier	25	1.7%	30	Low
Renter occupied				
Moved in 2010 or later	158	11.0%	75	Medium
Moved in 2000 to 2009	130	9.1%	70	Medium
Moved in 1990 to 1999	24	1.7%	35	Low
Moved in 1980 to 1989	19	1.3%	25	Low
Moved in 1970 to 1979	0	0.0%	9	Low
Moved in 1969 or earlier	0	0.0%	9	Low
Median Year Householder Moved Into Unit	2003		1	High

ACS Housing Summary

Slaughterville Town, OK
Slaughterville Town, OK (4067950)
Geography: Place

Prepared by the Greater OKC Chamber




	2010-2014 ACS Estimate	Percent	MOE(±)	Reliability
OCCUPIED HOUSING UNITS BY HOUSE HEATING FUEL				
Total	1,431	100.0%	110	High
Utility gas	155	10.8%	60	Medium
Bottled, tank, or LP gas	368	25.7%	104	Medium
Electricity	794	55.5%	109	High
Fuel oil, kerosene, etc.	0	0.0%	9	Low
Coal or coke	0	0.0%	9	Low
Wood	63	4.4%	39	Medium
Solar energy	0	0.0%	9	Low
Other fuel	51	3.6%	36	Low
No fuel used	0	0.0%	9	Low
OCCUPIED HOUSING UNITS BY VEHICLES AVAILABLE				
Total	1,431	100.0%	110	High
Owner occupied				
No vehicle available	15	1.0%	16	Low
1 vehicle available	178	12.4%	74	Medium
2 vehicles available	398	27.8%	102	Medium
3 vehicles available	366	25.6%	96	Medium
4 vehicles available	77	5.4%	51	Low
5 or more vehicles available	66	4.6%	50	Low
Renter occupied				
No vehicle available	7	0.5%	11	Low
1 vehicle available	128	8.9%	69	Medium
2 vehicles available	131	9.2%	62	Medium
3 vehicles available	19	1.3%	23	Low
4 vehicles available	46	3.2%	67	Low
5 or more vehicles available	0	0.0%	9	Low
Average Number of Vehicles Available	2.3		0.3	High

Data Note: N/A means not available.

2010-2014 ACS Estimate: The American Community Survey (ACS) replaces census sample data. Esri is releasing the 2010-2014 ACS estimates, five-year period data collected monthly from January 1, 2010 through December 31, 2014. Although the ACS includes many of the subjects previously covered by the decennial census sample, there are significant differences between the two surveys including fundamental differences in survey design and residency rules.

Margin of error (MOE): The MOE is a measure of the variability of the estimate due to sampling error. MOEs enable the data user to measure the range of uncertainty for each estimate with 90 percent confidence. The range of uncertainty is called the confidence interval, and it is calculated by taking the estimate +/- the MOE. For example, if the ACS reports an estimate of 100 with an MOE of +/- 20, then you can be 90 percent certain the value for the whole population falls between 80 and 120.

Reliability: These symbols represent threshold values that Esri has established from the Coefficients of Variation (CV) to designate the usability of the estimates. The CV measures the amount of sampling error relative to the size of the estimate, expressed as a percentage.

-  High Reliability: Small CVs (less than or equal to 12 percent) are flagged green to indicate that the sampling error is small relative to the estimate and the estimate is reasonably reliable.
-  Medium Reliability: Estimates with CVs between 12 and 40 are flagged yellow-use with caution.
-  Low Reliability: Large CVs (over 40 percent) are flagged red to indicate that the sampling error is large relative to the estimate. The estimate is considered very unreliable.